


CAE Performance Products

A.C.N. 007 268 975 A.B.N. 68 640 428 385

7 MAIN ROAD, CASTLEMAINE,
VIC.3450.



Wiper Kit Component List

Wiper Motor, Cable and Mounting Bracket Assembly
Wiring Loom, Switch and In Line Fuse.
Customer Instruction Sheet

Fitting Instructions

HK-HG Holden 2 Speed Wiper Motor


- 1 Remove original motor assembly, cowl vent panel, connecting links and posts.
- 2 Fit new 2 Speed motor and Mounting Bracket assembly to the left of the glove box and as high as possible, with the first tube pointing towards the wheelbox with the least amount of bent profile.
- 3 Mount the two original post plates using supplied ¼ “ countersunk bolts then fit the two wheel boxes by pushing through the post plates and doing the 5/8 post nuts up from outside of vehicle.
- 4 Fit the Bundy tubes to each wheelbox with the tube running to the top of the wheelbox and tighten the wheelbox end plates. Feed the spiral Cable and motor assembly up through the first wheel box and through the intermediate tube and second wheel box. Cut off any excess spiral cable if protruding beyond the end tube.
- 3 Fit 2-speed switch in appropriate hole and install wiring loom supplied.
- 4 Connect Brown wire to suitable earth. See wiring diagram on page 2
- 5 Connect Red feed wire through Fuse supplied to suitable Ignition Feed Wire on Ignition Switch of vehicle. Activate the wiper motor and switch to the park position note the drive knurls are rotating correctly.
- 6 Fit arms to wiper posts in the park position
- 7 Activate power and the wiper arms and blades are wiping correctly and adjust the arms if necessary. For further help see the FAQ link on our Website www.caenterprises.com

CAE Performance Products

A.C.N. 007 268 975

A.B.N. 68 640 428 385

7 MAIN ROAD, CASTLEMAINE,
VIC.3450.




Motor mounts left side under dash.

CAE Performance Products


A.C.N. 007 268 975 A.B.N. 68 640 428 385

7 MAIN ROAD, CASTLEMAINE,
VIC.3450.




Wiper Motor Pin Outs.

6 Pin Male Plug viewed from the front not the wiring side




- 1) Blank
- 2) Green/Red (Low)
- 3) Green/White (+ve)
- 4) Yellow/Red (High)
- 5) Blue/Red (Park)
- 6) Black (Earth)

Wiper Motor Loom Pinouts



- 1) Blank
- 2) Blue – Low Sp
- 3) Black - Ignition
- 4) Green – High Sp
- 5) White – Park
- 6) Brown – Earth


6 Pin Female Loom Plug



CAE Performance Products

A.C.N. 007 268 975 A.B.N. 68 640 428 385

7 MAIN ROAD, CASTLEMAINE,
VIC.3450.



C.A.E. PERFORMANCE PRODUCTS PTY LTD WIPER MOTOR WARRANTY

The manufacturer's warranty on Wiper Motors is for a period of one (1) year, covering the Wiper Motors components ONLY.

The warranty is subject to the following conditions:-

- All claims must be made within the warranty period.
- Any Wiper Motor components found to have faulty workmanship will be replaced free of charge.
- This warranty does not apply to Wiper Motor components that have been subject to neglect, misuse, abuse, accidental or intentional damage, unauthorized repairs, modifications, incorrect application of installation.
- C.A.E Performance Products recommend that this product be fitted by qualified personnel.
- The warranty does not cover the cost of freight, installation or removal of Wiper Motor components.
- The warranty only applies to Wiper Motor components used for normal road use.